

情報と知識ーメディア・リテラシー入門





メディア・リテラシー

情報を「評価したり識別したりする」能力

【総務省の定義】

1. メディアを主体的に読み解く能力。
2. メディアにアクセスし、活用する能力。
3. メディアを通じコミュニケーションする能力。特に、情報の読み手との相互作用的（インタラクティブ）コミュニケーション能力。



情報の送り手と受け手

【発信者】メディア

- ① 偏向報道・虚偽報道の抑制
- ② 不偏不党性

【受信者】私たち

- ① その情報の信憑性・妥当性
- ② ①が欠落している場合には、どのような偏りがあるのか
- ③ 情報発信者の意図を「解釈」する



情報の定義

- 伝達されてくるもの
- 一回限り(頻出性と情報価値)
- 意思決定に影響する
- 言語の集まり
- 認識の役割
(情報⇒認識)／(認識⇒情報)

情報の運用・処理

*「情報化社会」と「電子情報化された社会」



知識の特徴

- 自発的に獲得するもの
- 時限性はない
- 意思決定に影響する
- 言語の集まり
- 認識の役割

「解釈」の余地


Interpretation 解釈／演奏

「作者」の死



情報と知識

- 二つの言語[オースティン]
 - 「事実確認」型(～である)
 - 「行為遂行」型(～すべき)
- プライマリー効果とフレイミング効果
- 認識と事実の不可分性
特定の認識に立つ＝特定の事実を受け入れる
- 知る # 情報を集めること
- 「知る」という行為 = 認識の変容 = 「他者」の受容



- 言語論的転回 (Linguistic Turn)

- ① 現実には社会的につくられる

- ② 現実には言語によってつくられる (認識される)

- ③ 言語は社会的な構築物である

- 理論と現実の関係

- 問題解決型理論 (Problem-solving theory)

- 批判理論 (Critical theory)



情報化社会とデモクラシー

- ネットワークは民主的か？
- ネットワークは「開かれている」のか？
責任・公平性・平等性・権利・義務etc..

- 情報へのアクセスの難易（受信／発信）
- 論理性・合理性・明晰性
＝他者を沈黙させるはたらき

3秒に1人、子どもが貧困から死んでいます。食べ物がない、水が汚い、そんなことで。



この状況を変えるには、**お金ではなく、あなたの声**が必要です。



貧困をなくそう、という声を表す



ホワイトバンドを身につけてください。



オフィシャルサイト、全国主要書店、タワーレコード、フランフランで7月から買えます。



9日後の**G8**サミットにもご注目ください。

詳しくは www.hottokenai.jp

MATERNAL & CHILD HEALTH

In the world's poorest countries, mothers risk their lives giving birth and millions of children die each year from treatable, preventable causes such as diarrhoea.



SHARE



The Challenge

Every year, more than half a million mothers die from complications during child birth and 8.8 million children die before their fifth birthday. The vast majority of maternal and child deaths occur in the world's poorest countries. Diseases such as pneumonia, diarrhoea, malaria and measles, which are no longer burdens in rich countries, are still the leading cause of child death worldwide. Women in sub-Saharan Africa have a one in 26 chance of dying in childbirth, compared to only one in 4,800 for women in the United States. Weak health systems are one of the biggest reasons behind this enormous gap. A lack of health care workers, clinics and equipment means many women and children don't have access to basic health services including immunisations and care for expectant mothers.

The Opportunity

Millions of lives could be saved if known technologies were available to mothers and children in the world's poorest countries. If women had access to basic maternal health services, 80% of maternal deaths could be prevented. Many of the solutions are extremely affordable, especially for children. More than a quarter of

QUICK FACTS

9.2 million children

under the age of five die each year, mostly from preventable and treatable causes.

550,000 mothers

die each year during childbirth.

80% of maternal deaths

could be prevented if women had access to basic maternal and health services.

DEMOCRACY



© 2001



© The Eighth day, June 11, 2006.